

10522227proviso

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

\* \* \* \* \* STN Columbus \* \* \* \* \*

FILE 'HOME' ENTERED AT 12:47:17 ON 09 FEB 2007

=> fil reg

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.21	0.21

FILE 'REGISTRY' ENTERED AT 12:47:22 ON 09 FEB 2007

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2007 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 8 FEB 2007 HIGHEST RN 920112-67-0

DICTIONARY FILE UPDATES: 8 FEB 2007 HIGHEST RN 920112-67-0

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 30, 2006

Please note that search-term pricing does apply when conducting SmartSELECT searches.



REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/ONLINE/UG/regprops.html>

=>

Uploading C:\Program Files\Stnexp\Queries\10522227proviso.str

Karen Cheng



chain nodes :

16 18 19 21 37

ring nodes :

1 2 3 4 5 6 7 8 9 10 11 12 13 14 23 24 25 26 27 28 29 30 31  
32 33

chain bonds :

1-21 2-10 3-19 4-18 8-16 11-37

ring bonds :

1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-9 7-8 8-9 10-11 10-14 11-12 12-13 13-14  
23-24 23-28 24-25 25-26 26-27 27-28 29-30 29-33 30-31 31-32 32-33

exact/norm bonds :

1-21 3-19 4-18 5-7 6-9 7-8 8-9 8-16 10-11 10-14 11-12 11-37 12-13  
13-14 29-30 29-33 30-31 31-32 32-33

exact bonds :

2-10

normalized bonds :

1-2 1-6 2-3 3-4 4-5 5-6 23-24 23-28 24-25 25-26 26-27 27-28

isolated ring systems :

containing 1 :

G1:X,H,N

G2:H,CH3

G3:[\*1],[\*2]

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom  
11:Atom 12:Atom 13:Atom 14:Atom 16:CLASS 18:CLASS 19:CLASS 21:CLASS 23:Atom  
24:Atom 25:Atom 26:Atom 27:Atom 28:Atom 29:Atom 30:Atom 31:Atom 32:Atom  
33:Atom 37:CLASS

L1 STRUCTURE UPLOADED


=> d

Karen Cheng


10522227proviso

L1 HAS NO ANSWERS


L1 STR



1



2



G1 X, H, N

G2 H, Me

G3 [C1], [C2]

Structure attributes must be viewed using STN Express query preparation.

=> s l1 full

FULL SEARCH INITIATED 12:47:44 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 2014 TO ITERATE

100.0% PROCESSED 2014 ITERATIONS

464 ANSWERS

SEARCH TIME: 00.00.01

L2 464 SEA SSS FUL L1

=> fil caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

172.10

172.31

FILE 'CAPLUS' ENTERED AT 12:47:48 ON 09 FEB 2007

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching

Karen Cheng

10522227proviso

databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 9 Feb 2007 VOL 146 ISS 8  
FILE LAST UPDATED: 8 Feb 2007 (20070208/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s 12

L3 4 L2

=> d ibib abs hitstr tot


Karen Cheng

10522227proviso

=> d ibib abs tot

Karen Cheng



L3 ANSWER 1 OF 4 CAPLUS COPYRIGHT 2007 ACS on STN  
 ACCESSION NUMBER: 2006:349551 CAPLUS  
 DOCUMENT NUMBER: 145:62826  
 TITLE: Synthesis of imidazole based p38 MAP (mitogen-activated protein) kinase inhibitors under buffered conditions  
 AUTHOR(S): Magnus, Nicholas A.; Diserod, William D.; Nevill, C. Richard, Jr.; Wepsiec, James P.  
 CORPORATE SOURCE: Chemical Product Research and Development Division, Eli Lilly and Company, Indianapolis, IN, 46285, USA  
 SOURCE: Organic Process Research & Development (2006), 10(3), 556-560  
 CODEN: OPRDFK; ISSN: 1083-6160  
 PUBLISHER: American Chemical Society  
 DOCUMENT TYPE: Journal  
 LANGUAGE: English  
 GI



AB Chemical developed to give access to multigram quantities of imidazole 479754 and several related analogs, e.g., I (R1 = H or F) for Eli Lilly's p38 MAPK program targeting therapies to address inflammation was described. The mols. of interest had an iso-Pr sulfonyl group present on the 2-aminobenzimidazole heterocycle that was found to be labile when heated in polar solvents and/or exposed to high or low pH. Due to this instability issue, the syntheses of the target mols. required optimizing Sonogashira reaction conditions, employing a buffered oxidative method to produce a-diones, developing buffered reaction conditions to generate imidazoles, and developing final recrystn. conditions.  
 REFERENCE COUNT: 12 THERE ARE 12 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L3 ANSWER 2 OF 4 CAPLUS COPYRIGHT 2007 ACS on STN  
 ACCESSION NUMBER: 2005:962247 CAPLUS  
 DOCUMENT NUMBER: 143:266919  
 TITLE: Preparation of benzimidazole compounds as p38 kinase inhibitors for the treatment of cancer  
 INVENTOR(S): Bonjouklian, Rosanne; Dally, Robert Dean; De Dios, Alfonso; Del Prado Catalina, Miriam; Filadelfa; Dominguez-Fernandez, Carmen; Jaramillo Aguado, Carlos; Lopez de Uralde-Garmendia, Beatriz; Montero Salgado, Carlos; Shepherd, Timothy Alan  
 PATENT ASSIGNEE(S): Eli Lilly and Company, USA  
 SOURCE: PCT Int. Appl., 85 pp.  
 CODEN: PIXXD2  
 DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005080380	A1	20050901	WO 2005-US24	20050121
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GN, GW, ML, MR, NE, SN, TD, TG EP 1720862 A1 20061115 EP 2005-711246 20050121 R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LI, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR PRIORITY APPLN. INFO.: EP 2004-380022 A 20040203 US 2004-563399P P 20040419 WO 2005-US24 W 20050121 OTHER SOURCE(S): MARPAT 143:266919 GI				



AB Benzimidazole compds. and their analogs I [wherein W = certain N-containing five-membered heterocycle; Y = N, CH, CNH2 or CMe; R = alkyl, Ph, benzyl, etc., and pharmaceutically acceptable salts thereof], such as II, were

L3 ANSWER 2 OF 4 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)  
 prepd. as inhibitors of kinases, esp. p38 kinases. Exemplified compds. I showed inhibition for p38 kinase and suppression of TNF- $\alpha$  both in vitro and in vivo with IC50 values of  $\leq 5$  nM,  $< 100$  nM and  $< 100$  mg/kg, resp. Other biol. activities were also evaluated. Therefore, I and their pharmaceutical compns. are potentially useful for treating a disease or condition capable of being improved or prevented by inhibition of p38 kinase, such as cancer.  
 REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L3 ANSWER 3 OF 4 CAPLUS COPYRIGHT 2007 ACS on STN  
 ACCESSION NUMBER: 2005:159128 CAPLUS  
 DOCUMENT NUMBER: 142:348138  
 TITLE: Design of Potent and Selective 2-Aminobenzimidazole-Based p38 MAP Kinase Inhibitors with Excellent in Vivo Efficacy  
 AUTHOR(S): de Dios, Alfonso; Shih, Chuan; Lopez de Uralde, Beatriz; Sanchez, Concepcion; del Prado, Miriam; Cabrejas, Luisa M.; Martin, Pielte, Sehilas; Blanco-Urgoiti, Jaime; Lorite, Maria Jose; Nevill, C. Richard, Jr.; Bonjouklian, Rosanne; Yock, Jeremy; Vieth, Michael; Wang, Yong; Magnus, Nicholas; Campbell, Robert M.; Anderson, Bryan D.; McCann, Denis J.; Giera, Deborah D.; Lee, Paul A.; Schultz, Richard M.; Li, Li C.; Johnson, Lea M.; Wolos, Jeffrey A.  
 CORPORATE SOURCE: Lilly S.A., Eli Lilly and Co., Alcobendas, Madrid, 28108, Spain  
 SOURCE: Journal of Medicinal Chemistry (2005), 48(7), 2270-2273  
 CODEN: JMCHAR; ISSN: 0022-2623  
 PUBLISHER: American Chemical Society  
 DOCUMENT TYPE: Journal  
 LANGUAGE: English  
 OTHER SOURCE(S): CASREACT 142:348138  
 AB We report the design and discovery of a 2-aminobenzimidazole-based series of potent and highly selective p38 $\alpha$  inhibitors. The lead compound had low-nanomolar activity in both ATP competitive enzyme binding and inhibition of TNF $\alpha$  release in macrophages. Compound showed excellent pharmacokinetics properties and oral activity in the rat collagen induced arthritis model compared with other p38 reference compds. A SAR strategy to address Cyp3A4 liability is also described.  
 REFERENCE COUNT: 33 THERE ARE 33 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

10522227proviso

L3 ANSWER 4 OF 4 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2004:143142 CAPLUS

DOCUMENT NUMBER: 140:199326

TITLE:  
Preparation of benzimidazoles and benzothiazoles as inhibitors of p-38 map kinase for treating metastasis or rheumatoid arthritis

INVENTOR(S):  
Benjouklian, Rosanne; De Diego Gomez, Jose Eugenio; De Dios, Alfonso; Hamdouchi, Chafiq Hamdouchi; Li, Tiechao; Lopez De Uralde Garmendia, Beatriz; Vieth, Michal; York, Jeremy; Schulenburg, Dally; Robert Dean; Del Prado Catalina, Miriam; Filadelfa; Jaramillo, Carlos; Martin Cabrejas, Luisa Maria; Montero Salgado, Carlos; Pleite, Sheila; Sanchez-Martinez, Concepcion; Shepherd, Timothy Alan; Wikel, James Howard

PATENT ASSIGNEE(S):  
SOURCE:  
Eli Lilly and Company, USA  
PCT Int. Appl., 127 pp.  
CODEN: PIXXD2

DOCUMENT TYPE:  
LANGUAGE:  
English

FAMILY ACC. NUM. COUNT: 1


PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004014900	A1	20040219	WO 2003-US19890	20030731
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LJ, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
AU 2003256297	A1	20040225	AU 2003-256297	20030731
EP 1554272	A1	20050720	EP 2003-784749	20030731
EP 1554272	B1	20061025		
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK			
AT 343572	T	20061115	AT 2003-784749	20030731
US 2005272791	A1	20051208	US 2005-522227	20050125
PRIORITY APPLN. INFO.:			EP 2002-380178	A 20020809
			US 2002-421939P	P 20021028
			WO 2003-US19890	W 20030731

OTHER SOURCE(S): MARPAT 140:199326

GI

L3 ANSWER 4 OF 4 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)



AB The present invention provides benzimidazoles and benzothiazoles (shown as I; W = imidazolyl, oxazolyl, pyrazolyl, oxopyrazolyl, thiazolyl, 1,2,3-triazolyl, or imidazo[2,1-b]benzothiazolyl; X = NR<sub>4</sub>, S; R<sub>5</sub> = halo, H, NR<sub>4</sub>OR; addnl. details are given in the claims; e.g. II) as p-38 map kinase inhibitors. The disclosed compds. inhibit p-38 kinase and are useful in the treatment of metastasis or rheumatoid arthritis. All exemplified I inhibit the p38 kinase enzyme with an IC<sub>50</sub> of at least 5 μM. Four exemplified I were tested and found to suppress TNF-α in vitro with an IC<sub>50</sub> <100 nM; three of these suppressed TNF-α in vivo in mice with an IC<sub>50</sub> <100 mg/kg. Treatment of rats with II produced a dose-dependent inhibition of TNF-α synthesis, as measured in the synovial lavage fluid; the TMED50 = 10 mg/kg. II caused 54%, 73%, and 95% inhibition of lung metastasis formation for the 3, 10 and 30 mg/kg dose levels, resp., in the B16F10 melanoma lung metastasis model. II showed excellent dose-dependent activities against p38 MAPK in tumors harvested 2.5 h after dosing, seen as a dose-dependent inhibition of MAPKAP-K2 phosphorylation. II exhibited time- and dose-dependent inhibition of MAPKAP-K2 phosphorylation in P815 tumor in vivo. At all doses of II in a rat collagen induced arthritis efficacy model, there was a significant reduction in ankle diameter with a maximum reduction of 46% at 30 mg/kg; prednisolone reduced the inflammation to pre-arthritis levels. Although the methods of preparation are not claimed, preparative procedures and/or characterization data are given for 119 intermediates and 253 examples of I. For example, 1-isopropylsulfonyl-2-amino-6-[2-(thien-2-yl)-5-(phenyl)imidazol-4-yl]benzimidazole methanesulfonate was prepared in 97% yield by cyclizing thiophene-2-carboxaldehyde with 1-isopropylsulfonyl-2-amino-6-[[[tert-butylidimethylsilyl]oxyl-α-(phenyl)acetyl]benzimidazole in HOAc in the presence of Cu(OAc)<sub>2</sub> and NH<sub>4</sub>OAc.

REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

Karen Cheng

10522227proviso

=> fil reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

33.81

206.12

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE

TOTAL

ENTRY

SESSION

CA SUBSCRIBER PRICE

-6.24

-6.24

FILE 'REGISTRY' ENTERED AT 12:49:52 ON 09 FEB 2007  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2007 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file  
provided by InfoChem.

STRUCTURE FILE UPDATES: 8 FEB 2007 HIGHEST RN 920112-67-0

DICTIONARY FILE UPDATES: 8 FEB 2007 HIGHEST RN 920112-67-0

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 30, 2006





Please note that search-term pricing does apply when  
conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and  
predicted properties as well as tags indicating availability of  
experimental property data in the original document. For information  
on property searching in REGISTRY, refer to:

<http://www.cas.org/ONLINE/UG/regprops.html>

=>

Uploading C:\Program Files\Stnexp\Queries\10522227proviso2.str



Karen Cheng



10522227proviso

chain nodes :

16 18 19 21 37

ring nodes :

1 2 3 4 5 6 7 8 9 10 11 12 13 14 23 24 25 26 27 28 29 30 31  
32 33

chain bonds :

1-21 2-10 3-19 4-18 8-16 11-37

ring bonds :

1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-9 7-8 8-9 10-11 10-14 11-12 12-13 13-14  
23-24 23-28 24-25 25-26 26-27 27-28 29-30 29-33 30-31 31-32 32-33

exact/norm bonds :

1-21 3-19 4-18 5-7 7-8 8-16 10-11 10-14 11-12 11-37 12-13 13-14 29-30  
29-33 30-31 31-32 32-33

exact bonds :

2-10 6-9 8-9

normalized bonds :

1-2 1-6 2-3 3-4 4-5 5-6 23-24 23-28 24-25 25-26 26-27 27-28

isolated ring systems :

containing 1 :

G1:X,H,N

G2:H,CH3

G3:[\*1],[\*2]

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom  
11:Atom 12:Atom 13:Atom 14:Atom 16:CLASS 18:CLASS 19:CLASS 21:CLASS 23:Atom  
24:Atom 25:Atom 26:Atom 27:Atom 28:Atom 29:Atom 30:Atom 31:Atom 32:Atom  
33:Atom 37:CLASS


L4 STRUCTURE UPLOADED

=> d


L4 HAS NO ANSWERS

L4 STR


Karen Cheng



1



2



G1 X, H, N

G2 H, Me

G3 [C1], [C2]

Structure attributes must be viewed using STN Express query preparation.

=&gt; s 14 full

FULL SEARCH INITIATED 12:50:12 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 143 TO ITERATE

100.0% PROCESSED 143 ITERATIONS

4 ANSWERS

SEARCH TIME: 00.00.01

L5 4 SEA SSS FUL L4

=&gt; fil caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

172.10

378.22

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE

TOTAL

ENTRY

SESSION

CA SUBSCRIBER PRICE

0.00

-6.24

FILE 'CAPLUS' ENTERED AT 12:50:19 ON 09 FEB 2007

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is

Karen Cheng

10522227proviso

held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 9 Feb 2007 VOL 146 ISS 8

FILE LAST UPDATED: 8 Feb 2007 (20070208/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s 15

L6 1 L5

=> d ibib abs hitstr tot

Karen Cheng

L6 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2004:143142 CAPLUS

DOCUMENT NUMBER: 140:199326

TITLE: Preparation of benzimidazoles and benzothiazoles as inhibitors of p-38 map kinase for treating metastasis or rheumatoid arthritis

INVENTOR(S):

Bonjouklian, Rosanne; De Diego Gomez, Jose Eugenio; De Dios, Alfonso; Hamdouchi, Chafiq Hamdouchi; Li, Tieshao; Lopez De Uralde Garmendia, Beatriz; Vieth, Michal; York, Jeremy; Schulenburg, Dally; Robert Dean; Del Prado Catalina, Miriam; Filadelfa; Jaramillo, Carlos; Martin Cabrejas, Luisa Maria; Montero Selgado, Carlos; Pleite, Sheila; Sanchez-Martinez, Concepcion; Shepherd, Timothy Alan; Wikel, James Howard

PATENT ASSIGNEE(S):

SOURCE:

DOCUMENT TYPE:

LANGUAGE:

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004014900	A1	20040219	WO 2003-US19890	20030731
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SV, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TA, BF, BJ, CF, CG, CI, CM, CA, CN, CQ, GW, ML, MR, NE, SN, TD, TG			
AU 2003256297	A1	20040225	AU 2003-256297	20030731
EP 1554272	A1	20050720	EP 2003-784749	20030731
EP 1554272	B1	20061025		
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK			
AT 343572	T	20061115	AT 2003-784749	20030731
US 2005272791	A1	20051208	US 2005-522227	20050125
PRIORITY APPL. INFO.:			EP 2002-380178	A 20020809
			US 2002-421939P	P 20021028
			WO 2003-US19890	W 20030731

OTHER SOURCE(S):

GI

MARPAT 140:199326

L6 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)



AB The present invention provides benzimidazoles and benzothiazoles (shown as I; W = imidazolyl, oxazolyl, pyrazolyl, oxopyrazolyl, thiazolyl, 1,2,3-triazolyl, or imidazo[2,1-b]benzothiazolyl; X = NR<sub>4</sub>, S; R<sub>5</sub> = halo, H, NR<sub>9</sub>R<sub>10</sub>; addnl. details are given in the claims; e.g. II) as p-38 map kinase inhibitors. The disclosed compds. inhibit p-38 kinase and are useful in the treatment of metastasis or rheumatoid arthritis. All exemplified I inhibit the p38 kinase enzyme with an IC<sub>50</sub> of at least 5 μM. Four exemplified I were tested and found to suppress TNF-α in vitro with an IC<sub>50</sub> <100 nM; three of these suppressed TNF-α in vivo in mice with an IC<sub>50</sub> <100 mg/kg. Treatment of rats with II produced a dose-dependent inhibition of TNF-α synthesis, as measured in the synovial lavage fluid; the TMED50 = 10 mg/kg. II caused 54%, 73%, and 95% inhibition of lung metastasis formation for the 3, 10 and 30 mg/kg dose levels, resp., in the B16F10 melanoma lung metastasis model. II showed excellent dose-dependent activities against p38 MAPK in tumors harvested 2.5 h after dosing, seen as a dose-dependent inhibition of MAPKAP-K2 phosphorylation. II exhibited time- and dose-dependent inhibition of MAPKAP-K2 phosphorylation in P815 tumors in vivo. At all doses of II in a rat collagen induced arthritis efficacy model, there was a significant reduction in ankle diameter with a maximum reduction of 46% at 30 mg/kg; prednisolone

reduced the inflammation to pre-arthritis levels. Although the methods of preparation are not claimed, preparative procedures and/or characterization data are given for 119 intermediates and 253 examples of I. For example, 1-isopropylsulfonyl-2-amino-6-[2-(thien-2-yl)-5-(phenyl)imidazol-4-yl]benzimidazole methanesulfonate was prepared in 97% yield by cyclizing thiophene-2-carboxaldehyde with 1-isopropylsulfonyl-2-amino-6-[4-(tert-butylidimethylsilyl)oxy]-a-(phenyl)acetyl]benzimidazole in HOAc in the presence of Cu(OAc)<sub>2</sub> and NH<sub>4</sub>OAc.

IT 660435-94-9P, 2-Amino-6-[1-cyclohexyl-4-(phenyl)imidazol-5-yl]benzothiazole 660435-95-OP, 2-Chloro-6-[1-cyclohexyl-4-(phenyl)imidazol-5-yl]benzothiazole


RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic Preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)

L6 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)

(drug candidate; prepn. of benzimidazoles and benzothiazoles as inhibitors of p-38 map kinase for treating metastasis or rheumatoid arthritis)


RN 660435-94-9 CAPLUS

CN 2-Benzothiazolamine, 6-[1-cyclohexyl-4-phenyl-1H-imidazol-5-yl]- (9CI) (CA INDEX NAME)



RN 660435-95-0 CAPLUS

CN Benzothiazole, 2-chloro-6-[1-cyclohexyl-4-phenyl-1H-imidazol-5-yl]- (9CI) (CA INDEX NAME)




IT 660435-93-8P, 2-Amino-6-(5-phenylimidazol-4-yl)benzothiazole 660435-96-1P, 2-Ethylamino-6-[1-cyclohexyl-4-(phenyl)imidazol-5-yl]benzothiazole

RL: PAC (Pharmacological activity); SPN (Synthetic Preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(drug candidate; preparation of benzimidazoles and benzothiazoles as inhibitors of p-38 map kinase for treating metastasis or rheumatoid arthritis)

RN 660435-93-8 CAPLUS

CN 2-Benzothiazolamine, 6-(5-phenyl-1H-imidazol-4-yl)- (9CI) (CA INDEX NAME)




RN 660435-96-1 CAPLUS

CN 2-Benzothiazolamine, 6-(1-cyclohexyl-4-phenyl-1H-imidazol-5-yl)-N-ethyl- (9CI) (CA INDEX NAME)

Karen Cheng

L6 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)



REFERENCE COUNT:

5

THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT